

Volume contents

Volume 91 (2000)

Volume 91 Nos. 1,2

| | | | |
|--|----|---|-----|
| Issue contents | 1 | L. Wojnowski, L.F. Stancato, A.C. Larner, U.R. Rapp, A. Zimmer (USA, Germany) | |
| Review article | | Overlapping and specific functions of <i>Braf</i> and <i>Craf-1</i> proto-oncogenes during mouse embryogenesis | 97 |
| I. Bach (Germany) | | | |
| The LIM domain: regulation by association | 5 | G. Hauptmann, T. Gerster (Switzerland) | |
| Original articles | | Regulatory gene expression patterns reveal transverse and longitudinal subdivisions of the embryonic zebrafish forebrain | 105 |
| K.M. Correia, R.A. Conlon (USA) | | | |
| Surface ectoderm is necessary for the morphogenesis of somites | 19 | E. de la Calle-Mustienes, J.L. Gómez-Skarmeta (Chile) | |
| J.F. de Celis, R. Barrio (UK, Germany) | | <i>XTIF2</i> , a <i>Xenopus</i> homologue of the human transcription intermediary factor, is required for a nuclear receptor pathway that also interacts with CBP to suppress <i>Brachyury</i> and <i>XMyoD</i> | 119 |
| Function of the <i>spalt/spalt-related</i> gene complex in positioning the veins in the <i>Drosophila</i> wing | 31 | | |
| T. Katahira, T. Sato, S. Sugiyama, T. Okafuji, I. Araki, J.-i. Funahashi, H. Nakamura (Japan) | | T.S. Yamamoto, C. Takagi, N. Ueno (Japan) | |
| Interaction between <i>Otx2</i> and <i>Gbx2</i> defines the organizing center for the optic tectum | 43 | Requirement of <i>Xmsx-1</i> in the BMP-triggered ventralization of <i>Xenopus</i> embryos | 131 |
| E. Pogge v. Strandmann, S. Senkel, G.U. Ryffel (Germany) | | | |
| Ectopic pigmentation in <i>Xenopus</i> in response to DCoH/PCD, the cofactor of HNF1 transcription factor/pterin-4 α -carbinolamine dehydratase | 53 | M.R. Bendel-Stenzel, M. Gomperts, R. Anderson, J. Heasman, C. Wylie (USA, UK) | |
| R. Anderson, T.K. Copeland, H. Schöler, J. Heasman, C. Wylie (USA, Germany) | | The role of cadherins during primordial germ cell migration and early gonad formation in the mouse | 143 |
| The onset of germ cell migration in the mouse embryo | 61 | E. Ponte, F. Rivero, M. Fechheimer, A. Noegel, S. Bozzaro (Italy, Germany, USA) | |
| C. Sharpe, K. Goldstone (UK) | | Severe developmental defects in <i>Dictyostelium</i> null mutants for actin-binding proteins | 153 |
| The control of <i>Xenopus</i> embryonic primary neurogenesis is mediated by retinoid signalling in the neurectoderm | 69 | E. Zelzer, B.-Z. Shilo (Israel) | |
| J. Nakatani, K. Mizuseki, H. Tsuda, S. Nakanishi, Y. Sasai (Japan) | | Interaction between the bHLH-PAS protein Trachealless and the POU-domain protein Drifter, specifies tracheal cell fates | 163 |
| <i>Xenopus</i> Xenf: an early endodermal nuclear factor that is regulated in a pathway distinct from Sox17 and Mix-related gene pathways | 81 | R.H. Holme, S.J. Thomson, D.R. Davidson (UK) | |
| M. Stanke, M. Geissen, R. Götz, U. Ernsberger, H. Rohrer (Germany) | | Ectopic expression of <i>Msx2</i> in chick retinal pigmented epithelium cultures suggests a role in patterning the optic vesicle | 175 |
| The early expression of VACHT and VIP in mouse sympathetic ganglia is not induced by cytokines acting through LIFR β or CNTFR α | 91 | D. Schmucker, G. Vorbrüggen, P. Yeghiayan, H.Q. Fan, H. Jäckle, U. Gaul (USA, Germany) | |
| | | The <i>Drosophila</i> gene <i>abstrakt</i> , required for visual system development, encodes a putative RNA helicase of the DEAD box protein family | 189 |

- S. Granderath, I. Bunse, C. Klämbt (Germany)**
gcm and pointed synergistically control glial transcription of the *Drosophila* gene *loco* 197
- M. Seecoomar, S. Agarwal, K. Vani, G. Yang, J. Mohler (USA)**
knot is required for the hypopharyngeal lobe and its derivatives in the *Drosophila* embryo 209
- R.A.H. White, S.E. Aspland, J.J. Brookman, L. Clayton, G. Sproat (UK)**
The design and analysis of a homeotic response element 217
- M.J. Beanan, J.A. Feledy, T.D. Sargent (USA)**
Regulation of early expression of *Dlx3*, a *Xenopus* anti-neural factor, by β -catenin signaling 227
- C. Sung, S. Robinow (USA)**
Characterization of the regulatory elements controlling neuronal expression of the A-isoform of the ecdysone receptor gene of *Drosophila melanogaster* 237
- S.J. Arnold, J. Stappert, A. Bauer, A. Kispert, B.G. Herrmann, R. Kemler (Germany)**
Brachyury is a target gene of the Wnt/ β -catenin signaling pathway 249
- T. Schlange, B. Andrée, H.-H. Arnold, T. Brand (Germany)**
BMP2 is required for early heart development during a distinct time period 259
- M. Boube, M. Llimargas, J. Casanova (Spain)**
Cross-regulatory interactions among tracheal genes support a co-operative model for the induction of tracheal fates in the *Drosophila* embryo 271
- T.J. Jaw, L.-R. You, P.S. Knoepfler, L.-C. Yao, C.-Y. Pai, C.-Y. Tang, L.-P. Chang, J. Berthelsen, F. Blasi, M.P. Kamps, Y.H. Sun (Taiwan, USA, Italy)**
Direct interaction of two homeoproteins, Homothorax and Extradenticle, is essential for EXD nuclear localization and function 279
- T. Shimizu, Y. Yamanaka, S.-L. Ryu, H. Hashimoto, T. Yabe, T. Hirata, Y.-k. Bae, M. Hibi, T. Hirano (Japan)**
Cooperative roles of Bozozok/Dharma and Nodal-related proteins in the formation of the dorsal organizer in zebrafish 293
- Short communication
B.A. Howard, B.A. Gusterson (UK)
Mammary gland patterning in the AXB/BXA recombinant inbred strains of mouse 305
- Gene expression patterns
M. Molenaar, E. Brian, J. Roose, H. Clevers, O. Destrée (The Netherlands)
Differential expression of the Groucho-related genes 4 and 5 during early development of *Xenopus laevis* 311
- D.R. Cohen, C.W. Cheng, S.H. Cheng, C.-c. Hui (Canada, Hong Kong)**
Expression of two novel mouse *Iroquois* homeobox genes during neurogenesis 317
- B. Moniot, P. Berta, G. Scherer, P. Südbek, F. Poulat (France, Germany)**
Male specific expression suggests role of *DMRT1* in human sex determination 323
- X. Zhou, T. Hollemann, T. Pieler, P. Gruss (Germany)**
Cloning and expression of *xSix3*, the *Xenopus* homologue of murine *Six3* 327
- V. Vlaeminck-Guillem, S. Carrere, F. Dewitte, D. Stehelin, X. Desbiens, M. Dutertre-Coquillaud (France)**
The *Ets* family member *Erg* gene is expressed in mesodermal tissues and neural crests at fundamental steps during mouse embryogenesis 331
- Y. Harada, N. Okai, S. Taguchi, K. Tagawa, T. Humphreys, N. Satoh (Japan, USA)**
Developmental expression of the hemichordate *otx* ortholog 337
- D. Johnson, S. Iseki, A.O.M. Wilkie, G.M. Morriss-Kay (UK, Japan)**
Expression patterns of *Twist* and *Fgfr1*, -2 and -3 in the developing mouse coronal suture suggest a key role for *Twist* in suture initiation and biogenesis 341
- S.-C. Choi, J. Kim, J.-K. Han (South Korea)**
Identification and developmental expression of *par-6* gene in *Xenopus laevis* 347
- C.-W.J. Chen, C.-M. Chuong (USA)**
Dynamic expression of *lunatic fringe* during feather morphogenesis: a switch from medial-lateral to anterior-posterior asymmetry 351
- A. Crocoll, M. Blum, A.C.B. Cato (Germany)**
Isoform-specific expression of BAG-1 in mouse development 355
- D. Chambers, I. Mason (UK)**
Expression of *sprouty2* during early development of the chick embryo is coincident with known sites of FGF signalling 361
- J.F.-X. Ainscough, L. Dandolo, M. Azim Surani (UK, France)**
Appropriate expression of the mouse *H19* gene utilises three or more distinct enhancer regions spread over more than 130 kb 365
- C.S. Newman, J. Reecy, M.W. Grow, K. Ni, T. Boettger, M. Kessel, R.J. Schwartz, P.A. Krieg (USA, Germany)**
Transient cardiac expression of the *tinman*-family homeobox gene, *XNkx2-10* 369

| | | | |
|---|-----|---|-----|
| Y. Kawakami, N. Wada, S.-i. Nishimatsu, C. Komaguchi, S. Noji, T. Nohno (Japan) Identification of chick <i>frizzled-10</i> expressed in the developing limb and the central nervous system | 375 | E. Martí (Spain) Expression of chick BMP-1/Tolloid during patterning of the neural tube and somites | 415 |
| M.-L. Mucchielli, T.A. Mitsiadis (France) Correlation of asymmetric <i>Notch2</i> expression and mouse incisor rotation | 379 | C. Chai, W.-K. Chan (Singapore) Developmental expression of a novel Ftz-F1 homologue, <i>ff1b</i> (NR5A4), in the zebrafish <i>Danio rerio</i> | 421 |
| M. Kanai-Azuma, J.S. Mattick, K. Kaibuchi, S.A. Wood (Australia, Japan) Co-localization of FAM and AF-6, the mammalian homologues of <i>Drosophila</i> <i>faf</i> and <i>canoe</i> , in mouse eye development | 383 | R. Sivasankaran, M. Calleja, G. Morata, K. Basler (Switzerland, Spain) The Wingless target gene <i>Dfz3</i> encodes a new member of the <i>Drosophila</i> Frizzled family | 427 |
| J.-N. Tsai, C.-H. Lee, H. Jeng, W.-K. Chi, W.-C. Chang (Taiwan) Differential expression of glycogen synthase kinase 3 genes during zebrafish embryogenesis | 387 | Y. Takabatake, T. Takabatake, K. Takeshima (Japan) Conserved and divergent expression of <i>T-box</i> genes <i>Tbx2-Tbx5</i> in <i>Xenopus</i> | 433 |
| N. Khare, N. Fascetti, S. DaRocha, R. Chiquet-Ehrismann, S. Baumgartner (Sweden, Switzerland) Expression patterns of two new members of the Semaphorin family in <i>Drosophila</i> suggest early functions during embryogenesis | 393 | S.-I. Yoshikawa, S.-i. Aota, Y. Shirayoshi, K. Okazaki (Japan) The ActR-I activin receptor protein is expressed in notochord, lens placode and pituitary primordium cells in the mouse embryo | 439 |
| L. Pouyet, T.A. Mitsiadis (France) Dynamic <i>Lunatic fringe</i> expression is correlated with boundaries formation in developing mouse teeth | 399 | X. Caubit, N. Coré, A. Boned, S. Kerridge, M. Djabali, L. Fasano (France) Vertebrate orthologues of the <i>Drosophila</i> region-specific patterning gene <i>teashirt</i> | 445 |
| N.A. Hanley, D.M. Hagan, M. Clement-Jones, S.G. Ball, T. Strachan, L. Salas-Cortés, K. McElreavey, S. Lindsay, S. Robson, P. Bullen, H. Ostrer, D.I. Wilson (UK, France, USA) <i>SRY</i> , <i>SOX9</i> , and <i>DAX1</i> expression patterns during human sex determination and gonadal development | 403 | Erratum | 449 |
| A. Liu, A. Majumdar, H.E. Schauerte, P. Haffter, I.A. Drummond (USA, Germany) Zebrafish <i>wnt4b</i> expression in the floor plate is altered in sonic hedgehog and <i>gli-2</i> mutants | 409 | Author Index | 455 |
| | | Subject Index | 459 |
| | | Volume Contents | 475 |
| | | Contents continued | 479 |

